

Jackson, Suzanne



From: Thorneloe, Susan
Sent: Monday, May 20, 2013 3:59 PM
To: Helms, Greg
Subject: FW: Draft response to AES concerns about the Agremax assessment
Attachments: Response to AES comments on AGREMAX assessment (ACG 3-22-13).docx

FYI

From: Garrabrants, Andrew Charles [<mailto:a.garrabrants@Vanderbilt.Edu>]
Sent: Friday, March 22, 2013 4:25 PM
To: Helms, Greg; Kosson, David S
Cc: Thorneloe, Susan
Subject: RE: Draft response to AES concerns about the Agremax assessment

Greg,

(b) (5)



Andy

Andrew C. Garrabrants, Ph.D.

Associate Research Professor

Department of Civil & Environmental Engineering
Vanderbilt University
VU Station B35-1831
2301 Vanderbilt Pl, Nashville, TN 37235
615-322-7226 office
615-322-3365 fax

FedEx and UPS:
400 24th Avenue South
Jacobs Hall 281
Nashville, TN 37235

From: Helms, Greg [<mailto:Helms.Greg@epa.gov>]
Sent: Friday, March 22, 2013 2:35 PM
To: Garrabrants, Andrew Charles; Kosson, David S

Cc: Thorneloe, Susan

Subject: Draft response to AES concerns about the Agremax assessment

David/Andy-

(b) (5)

Thanks.

Gregory Helms
U.S. EPA
Acting Chief, Waste Characterization Branch
Office of Solid Waste and Emergency Response
phone: 703-308-8845
fax: 703-308-0514
helms.greg@epa.gov

Address for regular/USPS mail:
1200 Pennsylvania Ave. NW
Mail Code 5304P
Washington, DC 20460

Address for overnight/hand delivery mail:
Two Potomac Yard
2733 S. Crystal Dr.
5th Floor; N-5611
Arlington, VA 22202

See OSWER's new LEAF leach test methods at:

http://epa.gov/wastes/hazard/testmethods/sw846/new_meth.htm

For an overview of hazardous waste regulation see the RCRA Orientation Manual, at:
www.epa.gov/epawaste/inforesources/pubs/orientat/